Faciliy	Actual TN (mg/l)	Actual TP (mg/l)	Facility Assumptions	LOT 7.0 TN upgrade	LOT 7.0 LOT 3.0 TN TN upgrade cost/year
Conrad	7	0.15	Extended aeration without chemical P precipitation. Optimized for LOT7.0TN.	N/A, currently meeting LOT	Retrofit with anoxic zone to convert
Chinook	2.9	1.84	Oxidation ditch, optimized LOT3.0TN; no P removal.	currently meeting	to A/I F \$0.00 meeting
<del>Hinsdale</del>	<del>13</del>	<del>1.06</del>	Extended aeration package plant. Incomplete nitrification/denitrification; no Premoval.	N/A, no- RPA/WQ BELs needed	N/A, no- \$0.00 BELs- needed
Manhattan	8.7	0.6	Fixed film system with nitrification/denitrification; unknown P removal.	Optimiza tion to meet LOT	t:11
Colstrip	unk	unk	Oxidation ditch, unknown performance.	Optimiza tion to meet LOT	convert
East Helena	10.6	0.53	Activated sludge plant. Pretty good nitrification, little denitrification. Good P removal.	Optimiza tion to meet LOT	Retrofit with \$1,800 denitrific ation filters
Stevensville	14.8	2.835	Oxidation ditch, with nitrification but limited nutrient removal. Planning for a BNR upgrade.	N/A, assume new BNR plant can meet LOT	new plant \$0.00 with denitrific
			Majors		
Bozeman	4.4	4.4	5-stage Bardenpho (biological N removal and EBPR). Effluent TP suggests that chemical P removal is also being used.		Optimiza \$0.00 tion to meet LOT

Butte Silver Bow	2.4	2.4	New MBR plant, so data is very limited. TP is reportedly around 0.2 now. Assume LOT3.0TN and LOT0.5TP currently.	currently meeting LOT	N/A, currently meeting LOT
Hamilton	3.13	3.13	Well under design flow, facility appears to be biological N removal or optimized accordingly. Secondary plant with simple modifications for TP removal.	N/A, currently meeting	N/A, currently meeting LOT and RPA/WQ BEL
Havre	7.92	7.92	A new BNR plant is under construction. Assume new facility will meet LOT3.0TN and LOT0.5TP.	N/A, assume new BNR plant can meet LOT	assume new BNR \$0.00 plant can meet RPA/WQ
Helena	5.58	5.58	plant with no specific TP removal. Plant is reportedly already optimized and needs to do some small capital	N/A, currently meeting LOT	denitrific ation filters or step feed tn ពស្រ
Kalispell	8.4	8.4	Johannesburg process. biological N removal/EBPR. Not fully denitrifying. Excellent TP removal; mostly EBPR.	Optimiza tion to meet LOT	denitrific ation filters or step feed
Lewistown	2.05	2.05	Biological N removal/EBPR system. Meeting LOT3.0TN.	N/A, currently meeting LOT	N/A, currently meeting LOT
Whitefish	24.2	24.2	TP removal. Plenty of capacity. Requires replacement to meet LOT for TN. An SBR is designed for construction in 2020 and it is assumed that it will meet	assume new SBR	Retrofit with \$0 denitrific ation filters
Billlings	17.6	17.6	A2/O system with UV disinfection. A2/O capable of 6-10 mg/I TN; 1-2 mg/I TP.		20,948 Replace ment with 5-
					stage Bardenp ho

 $<sup>{}^*</sup>$ We use county levels for unemployment rate except for largest towns ( ) as that is the numbers available

LOT 3.0 TN upgrade cost/year to 0.5 mg/L TP	LOT P upgrade to 0.5 mg/L TP cost/year	LOT P upgrage to 0.1 mg/L TP	LOT P upgrade to 0.1 mg/L TP cost/year	LOT P upgrade to 0.05 mg/L TP	LOT P upgrade to 0.05 mg/L TP cost/year
N/A, currently meeting LOT  Retrofit \$0.00 with	\$0.00 \$589,378	Optimize chemical precipitation and solids removal citerifical precipitation and tertiary		High dosage chemical precipitation and advanced solids removal chemical precipitation	\$1,912,490 \$1,919,452
EBPR  N/A, no-  \$0.00  BELs-  needed  N/A,	<del>\$0.0</del> 0	N/A, no- RPA/WQBELs- needed  Chemical		N/A, no- RPA/WQBELs- needed	<b>\$0.00</b>
\$362,932 currently meeting LOT Retrofit \$372,282 with EBPR		precipitation and tertiary filtration Chemical precipitation and tertiary filtration		precipitation and advanced rngduosage:-' chemical precipitation and advanced	\$1,454,864 \$2,258,232
N/A, currently meeting LOT N/A, assume		Chemical precipitation and tertiary filtration Chemical	\$883,394	High dosage chemical precipitation and advanced solids removal	\$1,681,482
\$344,000 new BNR plant can meet LOT	\$0.00	precipitation and tertiary filtration	\$734,548		\$0.00

# Majors

N/A,	Optimize	ŀ	ligh dosage	
	chemical	c	chemical	
\$5,200 currently meeting	\$0.00 precipitation	\$21,400 p	precipitation	\$10,778,600
LOT	and solids	a	and advanced	
LOT	removal	S	solids removal	

N/A, new plant \$0.00 currently meeting LOT One	\$0.00	Optimize chemical precipitation and solids removal	\$19,000	High dosage chemical precipitation and advanced solids removal	\$7,609,200
point alum; Ferment er	\$267,800	N/A, LOT is below RPA/WQBEL	\$0.00	N/A, LOT is below RPA/WQBEL	\$0.00
ᇅţcftc point \$0.00 Ferment er	\$247,400	N/A, LOT is below RPA/WQBEL	\$0.00	N/A, LOT is below RPA/WQBEL	\$0.00
ರಾಗಲ್ <sup>6:+</sup> point alum; Ferment er	\$496,000	Chemical precipitation and tertiary filtration	\$1,493,400	High dosage chemical precipitation and advanced solids removal	\$7,372,800
\$1,933,800 meeting LOT	\$0.00	Optimize chemical precipitation and solids removal	\$9,200	High dosage chemical precipitation and advanced solids removal	\$7,372,800
N/A, currently meeting LOT	\$0.00	N/A, no RPA/WQBELs needed	\$0.00	N/A, no RPA/WQBELs needed	\$0.00
N/A, currently meeting LOT	\$0.00	Chemical precipitation and tertiary filtration	\$636,428	High dosage chemical precipitation and advanced solids removal	\$4,653,400
\$27,196,096Add tertiary filters		Add chemical precipitation and tertiary filters	\$30,374,338	High dosage chemical precipitation and advanced solids removal	\$45,970,742

MHI (Data: American Community Survey (ACS) 5- year 2011-2015 Estimates )	Old current sewer bill/year	Old current % MHI	Number of households	Current sewer bill/year	Current Sewer Rate MHI	Achieving 7 mg/L TN and 0.5 mg/L TP %MHI	
\$39,063			2,501	\$522	1.34	1.34	1.34
\$41,974			1,300	\$501	1.19	2.27	3.01
<del>\$50,625</del>	_		<del>-250</del> -		#VALUE!	<del>N</del> A	<del>A/A</del>
\$52,135			1,500	\$943	1.81	1.81	2.81
\$84,145			2,214	\$766	0.91	1.29	1.53
\$44,828			2,114	\$557	1.24	1.24	2.18
\$32,337			1,920	\$224	0.69	0.69	1.88
\$45,729	\$372	0.84%	32,000	\$408	0.89	0.89	0.89

	T I						
\$37,686	\$360	0.89%	33,000	\$331	0.88	0.88	0.88
\$27,907	\$240	0.52%	9,800	\$445	1.60	1.69	1.60
\$45,146	\$278	0.54%	31,005	\$218	0.48	0.50	0.48
\$49,852	\$362	0.78%	21,800	\$445	0.89	0.94	1.03
\$41,097	\$388	1.12%	5,923	\$366	0.89	0.89	0.90
\$35,990	\$718	1.88%	6,357	\$329	0.91	0.91	0.91
\$51,122			6,864	\$505	0.99	0.99	1.17
	٥						
\$51,012			44,092	\$265	0.52	0.95	1.87

mg/l 0.05	LTN and r	mg/L TN and	mg/L TN and	Achieving 3 mg/L TN and 0.05 mg/L TP %MHI	Poverty Rate	Secondar Poverty Second score	y Score <b>LMI</b>	LMI Second score
	3.29	1.66	1.66	3.62	17%	2	28%	2
	4.71	2.27	3.01	4.71	15%	2	25%	2
NA	4	IA.	NA	NA	10%	2	16%	2
	3.67	2.27	3.27	4.13	5%	3	11%	3
	2.12	1.49	1.72	2.32	9%	2	10%	3
	3.02	1.67	2.61	3.45	9%	2	24%	2
	0.69	1.25	2.43	1.25	25%	2	47%	1
	1.63	0.89	0.89	1.63	20%	2	30%	2

1.49	0.88	0.88	1.49	20%	2	31%	2
1.60	1.69	1.60	1.60	24%	2	38%	2
0.48	0.50	0.48	0.48	16%	2	25%	2
1.57	1.12	1.21	1.75	17%	2	23%	2
3.92	1.68	1.69	4.71	17%	2	28%	2
0.91	0.91	0.91	0.91	9%	2	23%	2
2.31	1.24	1.42	2.56	6%	2	17%	2
2.56	2.16	3.08	3.77	13%	2	23%	2

ondary Scc	ore Unemployment rate*	Unemploym ent score	МНІ	MHI score	Taxes index	Taxes index score	Average Secondary Score	Sliding scale MHI ceiling	Current MHI	Differe nce
	3.70%	2	\$39,063	1	2.35	2	1.8	1.3	1.34	-0.04
	3.70%	2	\$41,974	1	3.72		1.6	1.1	1.33	-0.23
	<del>2.90%</del>	3	\$ <del>50,625</del>	2N	<del>/</del> A 1	V/A	<del>2.25</del>	1.75	#VALUE!	
	2.20%	3	\$52,135	2	1.78		2 2.6	2.1	1.81	0.29
	5.50%	1	\$84,145	3	2.21		2 2.2	1.7	0.91	0.79
	3.00%	1	\$44,828	2	2.14		2 1.8	1.3	1.24	0.06
	3.90%	2	\$32,337	1	2.58		2 1.6	1.1	0.69	0.41
	2.20%		\$45,729	2	2.88		2 2.2	1.7	0.89	0.81

3.80%	2 \$37,686	1	4.37	1	1.6	1.1	0.88	0.22
3.90%	2 \$27,907	1	4.11	Í	1.6	1.1	1.60	-0.50
4.20%	2 \$45,146	2	1.89	2	2	1.5	0.48	1.02
3.00%	3 \$49,852	2	2.86	2	2.2	1.7	0.89	0.81
4.50%	2 \$41,097	1	2.55	2	1.8	1.3	0.89	0.41
3.20%	3 \$35,990	1	2.5	2	2	1.5	0.91	0.59
4.50%	2 \$51,122	2	6.07	1	1.8	1.3	0.99	0.31
3.30%	2 \$51,012	2	2.42	2	2	1.5	0.52	0.98

Result			17 mg/L TN and 0.05	13 mg/L TN		Achieving I3 mg/L TN and 0.05 mg/L TP %MHI		Can afford 7 mg/L TN and 0.5 mg/L TP ?
Already hit limit	No	No	No	No	No	No		no
Already hit limit	No	No	No	No	No	No		no
							Do not include, they do not have RP	
	yes	no	no	yes	no	no		yes
	yes	yes	yes	yes	yes	no		yes
	yes	no	no	no	no	no		yes
	yes	no	no	yes	no	no		yes
							What Percent of Assessed Group Members (<1MGD) Can Afford It?	67%
	yes	yes	yes	yes	yes	yes		yes

yes	yes	yes	yes	yes	yes		yes
yes	yes	yes	yes	yes	yes		no
yes	yes	yes	yes	yes	yes	New BNR plant in construction, assumed it can meet LOT	yes
yes	yes	yes	yes	yes	no		yes
yes	yes	no	no	no	no		yes
yes	yes	yes	yes	yes	no	Do not include, they do not have RP	
yes	yes	no	yes	yes	no		yes
yes	yes	yes	yes	yes	yes		yes
						What Percent of Assessed Group Members (>1MGD) Can Afford It?	88%

Can afford 7 Can afford 3 Can afford 3 Can afford 3 mg/L TN and 0.1 mg/L TP? 0.05 mg/L 0.5 mg/L TP? 0.05 mg/L TP?

no	no	no	no	no
no	no	no	no	no
no	no	no	no	no
yes	no	yes	no	no
no	no	no	no	no
no	n/a	no	no	n/a
17%	0%	17%	0%	0%
yes	yes	yes	yes	yes

yes	no	yes	yes	no
no	no	no	no	no
yes	yes	yes	yes	yes
yes	yes	yes	yes	no
yes	no	no	no	no
yes	no	yes	no	no
no	no	no	no	no
75%	38%	63%	50%	25%

## Percent Group Members Who Can Afford Treatment Level

Treatment Level	ena, Bozemar	<1MGD
7 mg TN/L, 0.5 mg TP/L	88%	67%
3 mg TN/L, 0.5 mgTP/L	0070	0770
woney oray as wow congent of	63%	17%
7 mg TN/L, 0.1 mgTP/L	75%	17%
3 mg TN/L, 0.1 mgTP/L	50%	0%
7 mg TN/L, 0.05 mg TP/L	38%	0%
3 mg TN/L, 0.05 mgTP/L		·
(Limits of Technology)	25%	0%





Figure X. Percent of Members in a Discharger G Specified Wastewater Treatment Level. Data on only those facilities DEQ has concluded will nee



roup (≥ 1MGD, <1MGD) Who Can Affordably Meet (Per DEQ Methods) a ly represent group members who are POTWs and, among them, d a variance. Costs are 100% (2X) the standard TetraTech (2016) estimates.

Faciliy	Actual TN (mg/l)	Actual TP (mg/l)	Facility Assumptions	LOT 7.0 TN upgrade	LOT 7.0 LOT 3.0 TN TN upgrade upgrade cost/year
Conrad	7	0.15	Extended aeration without chemical P precipitation. Optimized for LOT7.0TN.	N/A, currently meeting LOT	Retrofit with \$0.00 anoxic zone to convert
Chinook	2.9	1.84	Oxidation ditch, optimized LOT3.0TN; no P removal.	currently meeting	\$0.00 currently meeting
Hinsdale-	<del>13</del>	<del>1.06</del>	Extended aeration package- plant. Incomplete- nitrification/denitrification; no P removal.	N/A, no- RPA/WQ	N/A, no- RPA/WQ \$0.00 BELs- needed
Manhattan	8.7	0.6	Fixed film system with nitrification; unknown P removal.	Optimiza tion to meet LOT	with \$700 denitrific ation
Colstrip	unk	unk	Oxidation ditch, unknown performance.	Optimiza tion to meet LOT	with \$1,200 anoxic zone to convert
East Helena	10.6	0.53	Activated sludge plant. Pretty good nitrification, little denitrification. Good P removal.	Optimiza tion to meet LOT	Retrofit with \$900 denitrific ation filters
Stevensville	14.8	2.835	Oxidation ditch, with nitrification but limited nutrient removal. Planning for a BNR upgrade.	N/A, assume new BNR plant can meet LOT	new plant \$0.00 with denitrific
			Majors		
Bozeman	4.4	4.4	5-stage Bardenpho (biological N removal and EBPR). Effluent TP suggests that chemical P removal is also being used.		Optimiza \$0.00tion to meet LOT

Butte Silver Bow	2.4	2.4	New MBR plant, so data is very limited. TP is reportedly around 0.2 now. Assume LOT3.0TN and LOT0.5TP currently.	N/A, currently meeting LOT	N/A, \$0.00 currently meeting LOT
Hamilton	3.13	3.13	Well under design flow, facility appears to be biological N removal or optimized accordingly. Secondary plant with simple modifications for TP removal.	N/A, currently meeting LOT	N/A, currently \$0.00 meeting LOT and RPA/WQ BEL
Havre	7.92	7.92	A new BNR plant is under construction. Assume new facility will meet LOT3.0TN and LOT0.5TP.	N/A, assume new BNR plant can meet LOT	assume new BNR \$0.00 plant can meet RPA/WQ
Helena	5.58	5.58	plant with no specific TP removal. Plant is reportedly already optimized and needs to do some small capital	N/A, currently meeting LOT	with denitrific ation \$0.00 filters or step feed
Kalispell	8.4	8.4	Johannesburg process. biological N removal/EBPR. Not fully denitrifying. Excellent TP removal; mostly EBPR.	Optimiza tion to meet LOT	denitrific \$2,800 ation filters or step feed
Lewistown	2.05	2.05	Biological N removal/EBPR system. Meeting LOT3.0TN.	N/A, currently meeting LOT	N/A, \$0 currently meeting LOT
Whitefish	24.2	24.2	TP removal. Plenty of capacity. Requires replacement to meet LOT for TN. An SBR is designed for construction in 2020 and it is assumed that it will meet	assume new SBR plant can	Retrofit with \$0 denitrific ation filters
Billlings	17.6	17.6	A2/O system with UV disinfection. A2/O capable of 6 10 mg/l TN; 1-2 mg/l TP.	Optimiza -tion to meet LOT	\$10,474 Replace ment with 5- stage Bardenp ho

 $<sup>{}^*</sup>$ We use county levels for unemployment rate except for largest towns ( ) as that is the numbers available

LOT 3.0 TN LOT upgrade upgrace to 0 mg/L	ade upgrade to 0.5 0.5 mg/L TP	LOT P upgrage to 0.1 mg/L TP	LOT P upgrade to 0.1 mg/L TP cost/year	LOT P upgrade to 0.05 mg/L TP	LOT P upgrade to 0.05 mg/L TP cost/year
N/A, \$159,155 meeti LOT	ntly \$0.00	Optimize chemical Oprecipitation and solids	\$900	High dosage chemical precipitation and advanced	\$956,245
Retro \$0.00 with EBPR	fit \$294,689	removal chemical precipitation and tertiary	\$496,533	solids removal chemical precipitation and advanced	\$959,726
N/A, RPA/ <sup>1</sup> \$0.00 BELs- need:	<del>WQ</del> \$0.00	N/A, no RPA/WQBELs needed	<del>\$0.0</del> 0	N/A, no- RPA/WQBELs- needed	<del>\$0.00</del>
N/A, \$181,466 <sup>curre</sup> meeti LOT	ntly \$0.00	Chemical  precipitation  and tertiary  filtration	\$389,227	chemical precipitation and advanced	\$727,432
Retro \$186,141 with EBPR	fit \$352,218	Chemical precipitation and tertiary filtration	\$572,640	chemical precipitation and advanced High dosage	\$1,129,116
N/A, \$204,600 <sup>curre</sup> meeti LOT	50 00	Chemical precipitation and tertiary filtration	\$441,697	chemical precipitation and advanced solids removal	\$840,741
N/A, assun \$172,000 new E plant meet	3NR \$0.00 can	Chemical  precipitation  and tertiary  filtration	\$367,274	N/A, LOT is below RPA/WQBEL	\$0.00
Majors					

Optimize

chemical

\$0.00 precipitation and solids

removal

N/A,

\$2,600 currently meeting

LOT

## 2017-010046-0000294

\$5,389,300

High dosage

and advanced

solids removal

chemical

\$10,700 precipitation

N/A, new plant \$0.00 currently meeting LOT One	Optimize chemical \$0.00 precipitation and solids removal	High dosage chemical \$9,500 precipitation and advanced solids removal	\$3,804,600
point \$0.00 <sup>alum</sup> ; Ferment er	N/A, LOT is \$133,900 below RPA/WQBEL	N/A, LOT is \$0.00 below RPA/WQBEL	\$0.00
ලුද්දofit point \$0.00 <sup>alum</sup> ; Ferment er	N/A, LOT is \$123,700 below RPA/WQBEL	N/A, LOT is \$0.00 below RPA/WQBEL	\$0.00
onter <sup>est</sup> point \$966,900 Ferment er	Chemical \$248,000 precipitation and tertiary filtration	High dosage chemical \$746,700 precipitation and advanced solids removal	\$3,686,400
N/A, \$966,900 currently meeting LOT	Optimize chemical \$0.00 precipitation and solids removal	High dosage chemical \$4,600 precipitation and advanced solids removal	\$3,686,400
N/A, \$0.00 currently meeting LOT	N/A, no \$0.00 RPA/WQBELs needed	N/A, no \$0.00RPA/WQBELs needed	\$0.00
N/A, \$435,600 currently meeting LOT	Chemical \$0.00 precipitation and tertiary filtration	High dosage chemical \$318,214 precipitation and advanced solids removal	\$2,326,700
\$13,598,048Add tertiary filters	\$4,804,512 Add chemical precipitation and tertiary filters	\$15,187,169 High dosage chemical precipitation and advanced solids removal	\$22,985,371

MHI (Data: American Community Survey (ACS) 5- year 2011-2015 Estimates )	Old current sewer bill/year	Old current % MHI	Number of households	Current sewer bill/year	Current Sewer Rate MHI	Achieving 7 mg/L TN and 0.5 mg/L TP %MHI	
\$39,063			2,501	\$522	1.34	1.34	1.34
\$41,974			1,300	\$501	1.19	1.73	2.10
\$ <del>50,625</del>	- -		<del>-250</del> -	-	#VALUE!	NA .	NA
\$52,135			1,500	\$943	1.81	1.81	2.31
\$84,145			2,214	\$766	0.91	1.10	1.22
\$44,828			2,114	\$557	1.24	1.24	1.71
\$32,337			1,920	\$224	0.69	0.69	1.28
\$45,729	\$372	0.84%	32,000	\$408	0.89	0.89	0.89

\$37,686	\$360	0.89%	33,000	\$331	0.88	0.88	0.88
\$27,907	\$240	0.52%	9,800	\$445	1.60	1.64	1.60
\$45,146	\$278	0.54%	31,005	\$218	0.48	0.49	0.48
\$49,852	\$362	0.78%	21,800	\$445	0.89	0.92	0.96
\$41,097	\$388	1.12%	5,923	\$366	0.89	0.89	0.89
\$35,990	\$718	1.88%	6,357	\$329	0.91	0.91	0.91
\$51,122			6,864	\$505	0.99	0.99	1.08
\$51,012			44,092	\$265	0.52	0.73	1.19

mg/L TN and	mg/L TN and	mg/L TN and	Achieving 3 mg/L TN and 0.05 mg/L TP %MHI	Poverty Rate	Secondar Poverty Second score	y Score LMI	LMI Second score
2.32	1.50	1.50	2.48	17%	2	28%	2
2.95	1.73	2.10	2.95	15%	2	25%	2
NA	NA	NA	NA	10%	2	<del>16%</del>	2
2.74	2.04	2.54	2.97	5%	3	11%	3
1.52	1.20	1.32	1.62	9%	2	10%	3
2.13	1.46	1.92	2.35	9%	2	24%	2
0.69	0.97	1.56	0.97	25%	2	47%	1
1.26	0.89	0.89	1.26	20%	2	30%	2

1.18	8 0.88	3 0.88	1.18	20%	2	31%	2
1.60	0 1.64	1.60	1.60	24%	2	38%	2
0.48	8 0.49	9 0.48	0.48	16%	2	25%	2
1.23	3 1.03	1 1.05	1.32	17%	2	23%	2
2.4:	1 1.29	9 1.29	2.80	17%	2	28%	2
0.93	1 0.9	1 0.91	0.91	9%	2	23%	2
1.65	5 1.1:	1 1.20	1.77	6%	2	17%	2
1.54	4 1.34	1.80	2.15	13%	2	23%	2

ondary Scc	ore Unemployment rate*	Unemploym ent score	МНІ	MHI score	Taxes index	Taxes index score	Average Secondary Score	Sliding scale MHI ceiling	Current MHI	Differe nce
	3.70%	2	\$39,063	1	2.35	2	1.8	1.3	1.34	-0.04
	3.70%	2	\$41,974	1	3.72		1.6	1.1	1.33	-0.23
	<del>2.90%</del>	3	\$ <del>50,625</del>	2N	<del>/</del> A 1	V/A	<del>2.25</del>	1.75	#VALUE!	
	2.20%	3	\$52,135	2	1.78		2 2.6	2.1	1.81	0.29
	5.50%	1	\$84,145	3	2.21		2 2.2	1.7	0.91	0.79
	3.00%	1	\$44,828	2	2.14		2 1.8	1.3	1.24	0.06
	3.90%	2	\$32,337	1	2.58		2 1.6	1.1	0.69	0.41
	2.20%		\$45,729	2	2.88		2 2.2	1.7	0.89	0.81

3.80%	2 \$37,686	1	4.37	1	1.6	1.1	0.88	0.22
3.90%	2 \$27,907	1	4.11	Í	1.6	1.1	1.60	-0.50
4.20%	2 \$45,146	2	1.89	2	2	1.5	0.48	1.02
3.00%	3 \$49,852	2	2.86	2	2.2	1.7	0.89	0.81
4.50%	2 \$41,097	1	2.55	2	1.8	1.3	0.89	0.41
3.20%	3 \$35,990	1	2.5	2	2	1.5	0.91	0.59
4.50%	2 \$51,122	2	6.07	1	1.8	1.3	0.99	0.31
3.30%	2 \$51,012	2	2.42	2	2	1.5	0.52	0.98

Result			17 mg/L TN and 0.05	13 mg/L TN		Achieving I3 mg/L TN and 0.05 mg/L TP %MHI		Can afford 7 mg/L TN and 0.5 mg/L TP ?
Already hit limit	No	No	No	No	No	No		no
Already hit limit	No	No	No	No	No	No		no
							Do not include, they do not have RP	
	yes	no	no	yes	no	no		yes
	yes	yes	yes	yes	yes	no		yes
	yes	no	no	no	no	no		yes
	yes	no	no	yes	no	no		yes
							What Percent of Assessed Group Members (<1MGD) Can Afford It?	67%
	yes	yes	yes	yes	yes	yes		yes

yes	yes	yes	yes	yes	yes		yes
yes	yes	yes	yes	yes	yes		no
yes	yes	yes	yes	yes	yes	New BNR plant in construction, assumed it can meet LOT	yes
yes	yes	yes	yes	yes	no		yes
yes	yes	no	no	no	no		yes
yes	yes	yes	yes	yes	no	Do not include, they do not have RP	
yes	yes	no	yes	yes	no		yes
yes	yes	yes	yes	yes	yes		yes
						What Percent of Assessed Group Members (>1MGD) Can Afford It?	88%

Can afford 7 Can afford 3 Can afford 3 Can afford 3 mg/L TN and 0.1 mg/L TP? 0.05 mg/L TP? 0.05 mg/L TP?

no	no	no	no	no
no	no	no	no	no
no	no	yes	no	no
yes	yes	yes	yes	yes
no	no	no	no	no
no	n/a	yes	no	n/a
17%	17%	50%	17%	17%
yes	yes	yes	yes	yes

yes	no	yes	yes	no
no	no	no	no	no
yes	yes	yes	yes	yes
yes	yes	yes	yes	yes
yes	no	yes	yes	no
yes	no	yes	yes	no
yes	no	yes	no	no
88%	38%	88%	75%	38%

## Percent Group Members Who Can Afford Treatment Level

Treatment Level	ena, Bozemar	<1MGD
7 mg TN/L, 0.5 mg TP/L	88%	67%
3 mg TN/L, 0.5 mgTP/L	88%	50%
7 mg TN/L, 0.1 mgTP/L	88%	17%
3 mg TN/L, 0.1 mgTP/L	75%	17%
7 mg TN/L, 0.05 mg TP/L	38%	17%
3 mg TN/L, 0.05 mgTP/L		
(Limits of Technology)	38%	17%





Figure X. Percent of Members in a Discharger G Specified Wastewater Treatment Level. Data on only those facilities DEQ has concluded will nee



roup (≥ 1MGD, <1MGD) Who Can Affordably Meet (Per DEQ Methods) a ly represent group members who are POTWs and, among them, d a variance.

Faciliy	Actual TN (mg/l)	Actual TP (mg/l)	Facility Assumptions	LOT 7.0 TN upgrade	LOT 7.0 TN upgrade cost/year	LOT 3.0 TN upgrade
Conrad	7	0.15	Extended aeration without chemical P precipitation. Optimized for LOT7.0TN.	N/A, currently meeting LOT	\$0.00 c	Retrofit vith inoxic one to
Chinook	2.9	1.84	Oxidation ditch, optimized LOT3.0TN; no P removal.	currently meeting	\$0.00 c n	(i) A <sup>(i) F</sup> currently meeting
Hinsdale-	<del>13</del>	<del>1.06</del>	Extended aeration package plant. Incomplete nitrification/denitrification; no Premoval.	N/A, no- RPA/WQ BELs needed	\$0.00 P	N/A, no- RPA/WQ BELs- needed
Manhattan	8.7	0.6	Fixed film system with nitrification; unknown P removal.	Optimiza tion to meet LOT	v \$350 d a ع	vith lenitrific ition
Colstrip	unk	unk	Oxidation ditch, unknown performance.	Optimiza tion to meet LOT	\$600 a z c	vith inoxic one to convert
East Helena	10.6	0.53	Activated sludge plant. Pretty good nitrification, little denitrification. Good P removal.	Optimiza tion to meet LOT	v \$450 d a	Retrofit vith Ienitrific Ition ilters
Stevensville	14.8	2.835	Oxidation ditch, with nitrification but limited nutrient removal. Planning for a BNR upgrade.	N/A, assume new BNR plant can meet LOT	n p \$0.00 v d	new plant
			Majors			
Bozeman	4.4	4.4	5-stage Bardenpho (biological N removal and EBPR). Effluent TP suggests that chemical P removal is also being used.		\$0.00 t	Optimiza ion to neet LOT

Butte Silver Bow	2.4	2.4	New MBR plant, so data is very limited. TP is reportedly around 0.2 now. Assume LOT3.0TN and LOT0.5TP currently.  Well under design flow, facility	currently meeting LOT	\$0.00	N/A, currently meeting LOT N/A,
Hamilton	3.13	3.13	appears to be biological N removal or optimized accordingly. Secondary plant with simple modifications for TP removal.	N/A, currently meeting LOT	\$0.00	currently meeting LOT and RPA/WQ BEL
Havre	7.92	7.92	A new BNR plant is under construction. Assume new facility will meet LOT3.0TN and LOT0.5TP.  BIOlogical Illurogen removal	N/A, assume new BNR plant can meet LOT	\$0.00	assume new BNR plant can meet RPA/WQ
Helena	5.58	5.58	plant with no specific TP removal. Plant is reportedly already optimized and needs to do some small capital	N/A, currently meeting LOT	\$0.00	filters or step feed tค.ศ.กาก
Kalispell	8.4	8.4	Johannesburg process. biological N removal/EBPR. Not fully denitrifying. Excellent TP removal; mostly EBPR.	Optimiza tion to meet LOT	\$1,400	denitrific ation filters or step feed
Lewistown	2.05	2.05	Biological N removal/EBPR system. Meeting LOT3.0TN.	N/A, currently meeting LOT	\$0	N/A, currently meeting LOT
Whitefish	24.2	24.2	TP removal. Plenty of capacity. Requires replacement to meet LOT for TN. An SBR is designed for construction in 2020 and it is assumed that it will meet	assume new SBR plant can		Retrofit with denitrific ation filters
Billlings	17.6	17.6	A2/O system with UV disinfection. A2/O capable of 6 10 mg/l TN; 1-2 mg/l TP.	Optimiza -tion to meet LOT	\$5,237	Replace ment with 5- stage Bardenp ho

 $<sup>{}^*</sup>$ We use county levels for unemployment rate except for largest towns ( ) as that is the numbers available

LOT 3.0 TN  upgrade  cost/year  to 0.5  mg/L TP	LOT P upgrade to 0.5 mg/L TP cost/year	LOT P upgrage to 0.1 mg/L TP	LOT P upgrade to 0.1 mg/L TP cost/year	LOT P upgrade to 0.05 mg/L TP	LOT P upgrade to 0.05 mg/L TP cost/year
N/A, currently meeting LOT Retrofit \$0.00 with EBPR		Optimize chemical precipitation and solids removal chemical precipitation and tertiary		High dosage chemical precipitation and advanced solids removal chemical precipitation and advanced	\$478,123 \$479,863
N/A, no- \$0.00 BELs- needed	<del>\$0.00</del>	N/A, no- RPA/WQBELs- needed		N/A, no- RPA/WQBELs- needed	<del>\$0.00</del>
N/A, currently meeting LOT Retrofit		and tertiary filtration Chemical	\$194,614	chemical precipitation and advanced rngiduosage I chemical	\$363,716
\$93,071 with EBPR N/A,	\$176,1U9	and tertiary filtration Chemical	\$286,320	precipitation and advanced High dosage chemical	\$564,558
\$102,300 currently meeting LOT N/A,		precipitation and tertiary filtration Chemical	\$220,849	precipitation and advanced solids removal	\$420,371
assume \$86,000 new BNR plant can meet LOT	\$0.00	precipitation and tertiary filtration	\$183,637	N/A, LOT is below RPA/WQBEL	\$0.00

# Majors

N/A,	Optimize	9	High dosage	
	chemica		chemical	
\$1,300 currently meeting	\$0.00 precipita	ation \$5,350	precipitation	\$2,694,650
LOT	and solid	ds	and advanced	
LOT	removal		solids removal	

N/A, new plant \$0.00 currently meeting LOT One	\$0.00	Optimize chemical precipitation and solids removal	\$4,750	High dosage chemical precipitation and advanced solids removal	\$1,902,300
point \$0.00 alum; Ferment er	\$66,950	N/A, LOT is below RPA/WQBEL	\$0.00	N/A, LOT is below RPA/WQBEL	\$0.00
ரூftofit point \$0.00 Ferment er	\$61,850	N/A, LOT is below RPA/WQBEL	\$0.00	N/A, LOT is below RPA/WQBEL	\$0.00
ರಾಗಲ <sup>6:+</sup> point \$483,450 Ferment er	\$124,000	Chemical precipitation and tertiary filtration	\$373,350	High dosage chemical precipitation and advanced solids removal	\$1,843,200
\$483,450 meeting LOT	\$0.00	Optimize chemical precipitation and solids removal	\$2,300	High dosage chemical precipitation and advanced solids removal	\$1,843,200
N/A, \$0.00 currently meeting LOT	\$0.00	N/A, no RPA/WQBELs needed	\$0.00	N/A, no )RPA/WQBELs needed	\$0.00
N/A, currently meeting LOT	\$0.00	Chemical precipitation and tertiary filtration	\$159,107	High dosage chemical precipitation and advanced solids removal	\$1,163,350
\$6,799,024Add tertiary filters		Add chemical precipitation and tertiary filters	\$7,593,585	High dosage chemical precipitation and advanced solids removal	\$11,492,686

MHI (Data: American Community Survey (ACS) 5- year 2011-2015 Estimates )	Old current sewer bill/year	Old current % MHI	Number of households	Current sewer bill/year	Current Sewer Rate MHI	Achieving 7 mg/L TN and 0.5 mg/L TP %MHI	
\$39,063			2,501	\$522	1.34	1.34	1.34
\$41,974			1,300	\$501	1.19	1.46	1.65
<del>\$50,625</del>	_		<del>-250</del> -		#VALUE!	NA	<del>NA</del>
\$52 <i>,</i> 135			1,500	\$943	1.81	1.81	2.06
\$84,145			2,214	\$766	0.91	1.01	1.06
\$44,828			2,114	\$557	1.24	1.24	1.48
\$32,337			1,920	\$224	0.69	0.69	0.99
\$45,729	\$372	0.84%	32,000	\$408	0.89	0.89	0.89

\$37,686	\$360	0.89%	33,000	\$331	0.88	0.88	0.88
\$27,907	\$240	0.52%	9,800	\$445	1.60	1.62	1.60
\$45,146	\$278	0.54%	31,005	\$218	0.48	0.49	0.48
\$49,852	\$362	0.78%	21,800	\$445	0.89	0.90	0.93
\$41,097	\$388	1.12%	5,923	\$366	0.89	0.89	0.89
\$35,990	\$718	1.88%	6,357	\$329	0.91	0.91	0.91
\$51,122			6,864	\$505	0.99	0.99	1.03
\$51,012			44,092	\$265	0.52	0.63	0.86

Ashiantar 7	Aabiasiaa 3	Nakia daa 2	Achievies 3		Secondar		1841
mg/L TN and	mg/L TN and	mg/L TN and	Achieving 3 mg/L TN and 0.05 mg/L TP %MHI	Poverty Rate	Poverty Second score	LMI	LMI Second score
1.83	1.42	1.42	1.91	17%	2	28%	2
2.07	1.46	1.65	2.07	15%	2	25%	2
NA ·	NA	NA	NA	10%	2	16%	2
2.28	1.93	2.17	2.39	5%	3.	11%	3
1.21	1.05	1.11	1.26	9%	2	10%	3
1.69	1.35	1.58	1.79	9%	2	24%	2
0.69	0.83	1.13	0.83	25%	2	47%	1
1.08	0.89	0.89	1.08	20%	2	30%	2

1.03	0.88	0.88	1.03	20%	2	31%	2
1.60	1.62	1.60	1.60	24%	2	38%	2
0.48	0.49	0.48	0.48	16%	2	25%	2
1.06	0.95	0.97	1.11	17%	2	23%	2
1.65	1.09	1.09	1.85	17%	2	28%	2
0.91	0.91	0.91	0.91	9%	2	23%	2
1.32	1.05	1.10	1.38	6%	2	17%	2
1.03	0.93	1.16	1.33	13%	2	23%	2

ondary Sco	ore Unemployment rate*	Unemploym ent score	МНІ	MHI score	Taxes index	Taxes index score	Average Secondary Score		Current MHI	Differe nce
	3.70%	2	\$39,063	1	2.35	2	1.8	1.3	1.34	-0.04
	3.70%	2	\$41,974	1	3.72		1.6	1.1	1.33	-0.23
	2.90%	. 3	\$50,625	28	I <del>/</del> A f	√/A	<del>2.25</del>	1.75	#VALUE!	
	2.20%	3	\$52,135	2	1.78		2 2.6	2.1	1.81	0.29
	5.50%	1	\$84,145	3	2.21		2 2.2	1.7	0.91	0.79
	3.00%	1	\$44,828	2	2.14		2 1.8	1.3	1.24	0.06
	3.90%	2	\$32,337	1	2.58		2 1.6	1.1	0.69	0.41
	2.20%		\$45,729	2	2.88		2 2.2	1.7	0.89	0.81

3.80%	2 \$37,686	1	4.37	1	1.6	1.1	0.88	0.22
3.90%	2 \$27,907	1	4.11	Í	1.6	1.1	1.60	-0.50
4.20%	2 \$45,146	2	1.89	2	2	1.5	0.48	1.02
3.00%	3 \$49,852	2	2.86	2	2.2	1.7	0.89	0.81
4.50%	2 \$41,097	1	2.55	2	1.8	1.3	0.89	0.41
3.20%	3 \$35,990	1	2.5	2	2	1.5	0.91	0.59
4.50%	2 \$51,122	2	6.07	1	1.8	1.3	0.99	0.31
3.30%	2 \$51,012	2	2.42	2	2	1.5	0.52	0.98

Result			17 mg/L TN and 0.05	13 mg/L TN		Achieving I3 mg/L TN and 0.05 mg/L TP %MHI		Can afford 7 mg/L TN and 0.5 mg/L TP ?
Already hit limit	No	No	No	No	No	No		no
Already hit limit	No	No	No	No	No	No		no
							Do not include, they do not have RP	
	yes	no	no	yes	no	no		yes
	yes	yes	yes	yes	yes	no		yes
	yes	no	no	no	no	no		yes
	yes	no	no	yes	no	no		yes
							What Percent of Assessed Group Members (<1MGD) Can Afford It?	67%
	yes	yes	yes	yes	yes	yes		yes

yes	yes	yes	yes	yes	yes		yes
yes	yes	yes	yes	yes	yes		no
yes	yes	yes	yes	yes	yes	New BNR plant in construction, assumed it can meet LOT	yes
yes	yes	yes	yes	yes	no		yes
yes	yes	no	no	no	no		yes
yes	yes	yes	yes	yes	no	Do not include, they do not have RP	
yes	yes	no	yes	yes	no		yes
yes	yes	yes	yes	yes	yes		yes
						What Percent of Assessed Group Members (>1MGD) Can Afford It?	88%

Can afford 7 Can afford 3 Can afford 3 Can afford 3 mg/L TN and 0.1 mg/L TP? 0.05 mg/L 0.5 mg/L TP? 0.05 mg/L TP?

no	no	no	no	no
no	no	no	no	no
yes	no	yes	no	no
yes	yes	yes	yes	yes
no	no	no	no	no
yes	n/a	yes	no	n/a
50%	17%	50%	17%	17%
yes	yes	yes	yes	yes

yes	yes	yes	yes	yes
no	no	no	no	no
yes	yes	yes	yes	yes
yes	yes	yes	yes	yes
yes	no	yes	yes	no
yes	no	yes	yes	no
yes	yes	yes	yes	yes
88%	63%	88%	88%	63%

## Percent Group Members Who Can Afford Treatment Level

Treatment Level	ena, Bozemar	<1MGD
7 mg TN/L, 0.5 mg TP/L	88%	67%
3 mg TN/L, 0.5 mgTP/L	88%	50%
7 mg TN/L, 0.1 mgTP/L	88%	50%
3 mg TN/L, 0.1 mgTP/L	88%	17%
7 mg TN/L, 0.05 mg TP/L	63%	17%
3 mg TN/L, 0.05 mgTP/L		
(Limits of Technology)	63%	17%





Figure X. Percent of Members in a Discharger G Specified Wastewater Treatment Level. Data on only those facilities DEQ has concluded will nee



g TN/L, 0.1 mgTP/L 3 mg TN/L, 0.1 mgTP/L 7 mg TN/L, 0.05 mg TP/L 3 mg TN/L, 0.05 mgTP/L (  $Treatment\ Level$ 

roup (≥ 1MGD, <1MGD) Who Can Affordably Meet (Per DEQ Methods) a ly represent group members who are POTWs and, among them, d a variance.